

Adhestve, Sealant & Waterproofing

HOUSEHOLD ADHESIVE & SEALANT



























































Household Adhesive & Sealant



VT-120 / VT-125 / VT-104EP Contact Adhesive

Description: A premium quality solvent-based (toluene-free) synthetic rubber adhesive formulated to bond a variety of common materials. It is easy to use with long tack time and offers superior bonding strength.

Applications: Formica, rubber, cork, leather, fiberglass, polyurethane foam, EVA to wood, metal or concrete. It is also suitable for carpet repair applications.

Code No	Product Name Packaging Size		Product Name Packaging S	Packagir	ng Detail
Out No	1 Todact Hamo	Fackaging 3126	Inner Box	Outer Carton	
VT-120	Contact Adhesive	50 ml tube carded	12	144	
VT-125	Contact Adhesive	20 ml tube carded	12	144	
VT-104EP	Contact Adhesive	7 ml x 50 tubes boxed	-	24	





VT-130 / VT-134 Clear Sealant

Description: A one-component, versatile, acetic cure silicone sealant formulated for glazing and sealing applications where long term reliability is required. It will bond to form a durable, waterproof seal on many common wet area building materials. It is suitable for both indoor and outdoor applications.

Applications: It can be used to bond, seal, repair, and secure various substrates (glass, metal, fabric, vinyl, plastics, weather-stripping, vinyl tops, etc.).

VT-131 Auto Sealer

Description: A one-component, general purpose, black silicone sealant for both indoor and outdoor applications. It may be applied to horizontal or vertical surfaces. It provides a waterproof and flexible seals and resists oil, water, weather, vibration and grease. It does not dry out or become brittle.

Applications: It seals, bonds, repairs, mends and secures glass, metal, plastics, fabric, vinyl, weather-stripping and vinyl tops. It can also be used to protect and repair electrical wiring, windshields, door frames, electrical connections, seams and roofs.

Code No	Product Name	Packaging Size	Packagir	ng Detail
Oute No		Fackaging Size	Inner Box	Outer Carton
VT-130	Clear Sealant	2.64 oz. (75 g) tube carded	12	144
VT-134	Clear Sealant	1.13 oz. (32 g) tube carded	12	144
VT-131	Auto Sealar	2.64 oz. (75 g) tube carded	12	144







VT-105 / VT-121 / VT-126 / VT-103EP Shoe Adhesive

Description: A clear colored solvent-based (toluene-free) adhesive specially formulated for DIY shoe and leather goods repair jobs. It is easy to use, fast setting and cost saving. It also offers superior bonding strength with excellent water and heat resistance.

Applications: Filling and repairing tears, building up worn areas, especially good for leather goods.

Code No	Product Name	Packaging Size	Packagir	ng Detail
0000110	1 Todact Hamo	rackaging Size	Inner Box	Outer Carton
VT-105	Shoe Adhesive	7 ml x 2 tubes carded	12	144
VT-121	Shoe Adhesive	50 ml tube carded	12	144
VT-126	Shoe Adhesive	20 ml tube carded	12	144
VT-103EP	Shoe Adhesive	7 ml x 50 tubes boxed	-	24





VT-132 Bathroom & Sanitary Sealant

Description: A one-component, mildew resistant, neutral cure silicone sealant formulated for applications in areas where high humidity and temperature may be encountered. It will bond to form a durable, flexible, waterproof seal on many common wet area building materials.

Applications: Good adhesion on most ceramics, glass and plastics. Widely used for grouting ceramic tiles, bedding tile accessories and sealing shower heads, tubs, rimless, sinks, kitchen and bathroom fixtures.

VT-133 Vital-Nails

Description: A one-component, high performance, paste-like construction adhesive formulated to bond a variety of common construction materials. It has strong initial grab, superior adhesion and will not slump on vertical surfaces.

Applications: Mirror, skirting board, particle board, masonry, aluminum, galvanized iron, steel, concrete, fibrous cement sheeting, wall brick, concrete and floor panels. It is also safe to use on foamed polystyrene and mirror backed tiles.

Code No	Product Name	Packaging Size	Packagir	g Detail	
Out No	Product Haille	r dekagnig oize	Inner Box	Outer Carton	
VT-132	Bathroom & Sanitary Sealant	2.64 oz. (75 g) tube carded	12	144	
VT-133	Vital Nails	2.64 oz. (75 g) tube carded	12	144	

Adhesive, Sealant & Waterproofing





VT-101 All-Stik

- Crystal Clear MS Polymer

Description: A new generation MS Polymer adhesive/sealant formulated for all bonding and sealing applications where long term reliability is required. It has excellent bonding strength on various materials. It will cure to form a durable, flexible, waterproof seal. It is suitable for both indoor and outdoor applications.

Applications: Ideal for bonding of plastics (nylon, PVC, ABS, etc.), metal (stainless steel, aluminum, copper, etc.), rubber (natural rubber, synthetic rubber, silicone rubber, EPDM, etc.), natural materials (wood, polywood, leather, cloths, paperboard, etc.) & inorganics (concrete, mortar, natural stone, tile, glass, porcelain, etc.)

Product Code	Content	Inner Box	Carton Packing
VT-101	20 g tube carded	12	144



VT-106 Power Screw - Instant Grab Adhesive

Description: An instant-grab MS Polymer adhesive that has good and durable adhesion on various substrates. The instant-grab feature eliminates the need of brace or support. It has good UV and temperature resistance.

Applications: Ideal for installation of bathroom accessories and various household decorative materials



Product Code	Content	Inner Box	Carton Packing
VT-106	10 g x 2 tubes carded	12	144



VT-136 Fabric Glue

Description: A water-based, non-toxic adhesive that is specially formulated for various fabric bonding applications. It has superior bonding, flexible and resistant to both ageing and UV. It has good resistance towards washing and cleaning products, and able to withstand washing between 30 °C to 90 °C.

Applications: Ideal for mending hems, repairing holes and tears on clothes, decoration and upholstering materials. It is suitable for gluing cotton, jeans, linen, felt and coconut fiber, as well as cotton blends with each other or with wood and leather. It is also used to repair deck chairs, tents, beach chairs etc.

Note: Not recommend for silk and fabric with over 60 % of synthetic material.

Product Code	Content	Inner Box	Carton Packing
VT-136	20 g tube carded	12	144





VT-550 / VT-551 / VT-552EP All Purpose Metal Polish

Description: It is specially formulated using the best available materials to polish, clean and protect all bright metal surfaces (e.g. chrome, aluminum, stainless steel, copper brass, etc.). It contains powerful yet gentle abrasive property thus make it ideal for restoring the shine of heavily weathered and corroded surfaces. It also contains high quality wax that provides exceptional shine and leaves behind an invisible wax coating that is water repellent and protects against finger prints, contamination and further corrosion. It is water dispersible thus allowing easy cleaning and reuse of polishing cloths.

Applications: Recommended for industries, marine, auto, hobby and household applications. Ideal for polishing jewellery, watches, musical instruments, metal furniture, lamps, bicycles, motorcycles, cars, joss-stick stands, candle stands, aluminum windows and doors, brass rails, sink, metal signboard etc.

Product Code	Content	Inner Box	Carton Packing
VT-550	3.52 oz.(100 g) tube boxed	12	144
VT-551	1.06 oz.(30 g) tube carded	12	144
VT-552EP	7 ml x 50 tubes boxed	-	24



VT-700 Silicone Tape

- Hi-Temp Self Fusing Silicone Rubber

Description: Silicone tape is a versatile, easy to use selicone rubber specially formulated for emergency repairs. It is self-fusing, waterproof, non-adhesive product with wide range of use. The tape can be pulled to wrap around leaks, forming bond in 30 seconds. It resists weathering, fuels, oils, acids, solvents, road salt and other outdoor conditions.



- Overnight emergency repairs and permanent seals
 Plumbing system, pipes leaking water, steam or oil
 Emergency radiator hose repair

- · Electrical insulation and cables identification
- · Bicycle and wheelchair handle wraps for a GREAT non-slip grip!
- Marine, aerospace, boat rigging and rod ends
- Protection against corrosion
- · Clamping irregular shapes and etc.



⁴⁶ Excellent for Emergency Repair ⁵⁰

Code No	Product Name	Packaging Size	Packagir	ng Detail
Oute No	Floudet Name	T Bordying 0120	Inner Box	Outer Carton
VT-700W	Silicone Tape (White)	25 mm x 3.0 m	12	144
VT-700B	Silicone Tape (Black)	25 mm x 3.0 m	12	144
VT-700R	Silicone Tape (Red)	25 mm x 3.0 m	12	144

Household Adhesive & Sealant

VT-123 Seal-All-Gaps

Description: An acrylic sealant for general purpose sealing applications. It is paintable and formulated for sealing gaps and joints where slight movements or vibrations are expected. It is economical, environmentally friendly, and its adhesion to most porous substrates is good even without primer.

Applications: General sealing applications (door and window joints, cabinet and wardrobe installation, skirting of wood flooring, etc.). Suitable for various substrates (metal, PVC, wood, concrete, gypsum boards, reinforced cement boards, marble, etc.).

Son Hard Green Control of Control

VT-124 Wood & Parquet Adhesive

Description: A water-based adhesive that is excellent for wood bonding application. It features quick setting, superior bonding strength and it bonds variety of porous substrates.

Applications: Parquet flooring installation and repair, wood joining, furniture repair, wooden frames, woodworking projects, etc.

Code No	Product Name	Packaging Size	Packagir	ng Detail
0000140	Troductivanie	r dendging oize	Inner Box	Outer Carton
VT-123	Seal-All-Gaps	8.45 oz. (240 g) tube	12	72
VT-124	Wood & Parquet Adhesive	5.28 oz. (150 g) tube	12	72

VT-127 Crack Filler

Description: A ready mixed, easy to use multipurpose filler specially formulated to fill cracks and holes in single application. It has virtually no shrinkage and is smooth and durable. It is paintable with oil and water based paints. This water based filler can be cleansed up with water easily.

Applications: Filling cracks and holes on surfaces without any structural movements (walls, ceilings, doors, windows, etc.). Can be used outdoor if painted over.



Code No Product Name		Packaging Size	Packaging Detail	
Code No Product Name	rackaging 5126	Inner Box	Outer Carton	
VT-127	Crack Filler	10.3 oz. (290 g) tube	12	72





VT-135 / VT-462 All Purpose Wood Filler - Water based Putty

Description: A ready mixed, easy to use multipurpose filler specially formulated to fill cracks and holes in woodwork and furniture application. It has virtually no shrinkage and is smooth and durable. It is paintable with oil and water based paints. This water based filler can be clean up with water easily.

Applications: Filling and repairing cracks and chips in woodwork, furniture and etc.

Available colors: Natural, brown, mahogany, oak, jackwood, dark walnut, cherry, white

Code No	Product Name	Packaging Size	Packaging Detail	
Odds No	Fioductivalile	r dokaging Size	Inner Box	Outer Carton
VT-135	All Purpose Wood Filler	50 g tube carded	12	144
VT-462500	Wood Filler	500 g	36 tubs/carton	
VT-4621K5	Wood Filler	1.5 kg	12 tubs/carton	
VT-4625K	Wood Filler	5.0 kg	4 pails/carton	

VT-460 Instant Putty Filler

Description: A ready mixed, easy to use multipurpose filler specially formulated to fill cracks and holes in single application. It has virtually no shrinkage and is smooth and durable. It is paintable with oil and water based paints. This water based filler can be clean up with water easily.

Applications: Filling cracks and holes on surfaces without any structural movements (walls, ceilings, doors, windows, etc.). Can be used outdoor if painted over.

Available Color: White Content: 500 g/36 pails, 1.5 kg/12 pails, 5.0 kg/4 pails



VT-760 Wood & Parquet Adhesive

Description: A water-based, clear color, non-toxic and non-corrosive adhesive that is excellent for wood bonding application. It features quick setting, superior bonding strength and bonds variety of porous substrates. It is specially formulated to obtain superb resistance to plasticizer migration thus able to bond PVC effectively and at the same time provides adequate water and alkali resistance.

Applications: Parquet flooring, wood joining, PVC lamination, paper, foam, furniture, crafts, cabinets, woodworking projects.



Code No	Product Name	Packaging Size	Packaging Detail
VT-760500R	Wood & Parquet Adhesive	500 g	24 bottles/carton
VT-760OV	Wood & Parquet Adhesive	500 g	24 bottles/carton
VT-7601K	Wood & Parquet Adhesive	1.0 kg	12 bottles/carton
VT-7604K	Wood & Parquet Adhesive	4.0 kg	6 pails/carton

VT-780 Vinyl Adhesive

Description: A high-strength, water-based, and easy-to-spread adhesive designed for installing vinyl floor coverings like vinyl planks, vinyl sheets, vinyl tiles etc. onto most types of subfloor surfaces. The adhesive will become tacky and is able to grab resilient vinyl floors, easing installation works especially when the subfloor is not 100% even.

Features:

- Sticks fast
- · High strength and excellent grab
- Ready mixed, easy to use
- Installation and clean-up is simple
- Good residual tack
- Long working time
- · Low odour and low emission
- Environmentally friendly

Applications: Ideal for vinyl plank, vinyl sheet, vinyl tiles, vinyl wall base, Vinyl Composition Tile (VCT), vinyl floor maintenance, concrete, wood and hardboard etc.

Content: 1.0 kg/12 pails, 5.0 kg/4 pails, 10.0 kg/2 pails, 20.0 kg/1 pail

VT-782 Universal Vinyl Adhesive

Description: A water-based adhesive designed for bonding most types of commercial and domestic vinyl floor coverings. Repositioning is easy while adhesive is still wet, hence allows longer time for working in large areas. When it is cured, it can withstand normal wet cleaning practices.

Applications: Ideal for bonding vinyl sheet, Vinyl Composition Tile (VCT), vinyl plank, vinyl wall base, PVC backed carpets etc. on common types of subfloor surfaces like concrete, cement sand screeds or underlayment, plywood, hardboard or cement sheet underlays etc.

Content: 5.0 kg/4 pails, 10.0 kg/2 pails, 20.0 kg/1 pail



V-tech® is the registered trademark of Vital Technical, LLC





Manufactured and Packed for
Vital Technical, LLC
Pasadena, California 91101, USA.
email: sales@vitaltechnical.com www.vitaltechnical.com



Distributed by: